

## Grease compatibility chart

Thickener	1	2	3	4	5	6	7	8	9	10	11	12	13
1 Sulfonate		SC	NC	FC	FC	FC	NC	NC	FC	FC	SC	SC	NC
2 Aluminum Complex	NC		NC	NC	FC	NC	NC	NC	NC	NC	NC	FC	NC
3 Barium	NC	NC		NC	FC	NC	NC	NC	NC	NC	NC	FC	NC
4 Calcium	FC	NC	NC		FC	NC	FC	FC	SC	FC	NC	?	NC
5 Calcium 12-Hydroxy	FC	FC	FC	FC		SC	FC	FC	FC	FC	NC	?	NC
6 Calcium Complex	FC	NC	NC	NC	SC		NC	NC	NC	FC	FC	NC	NC
7 Clay	NC	NC	NC	FC	FC	NC		NC	NC	NC	NC	FC	NC
8 Lithium	FC	NC	NC	FC	FC	NC	NC		FC	FC	NC	?	SC
9 Lithium 12-Hydroxy	FC	NC	NC	SC	FC	NC	NC	FC		FC	NC	?	SC
10 Lithium Complex	FC	FC	NC	FC	FC	FC	NC	FC	FC		NC	FC	SC
11 Polyurea	SC	NC	NC	NC	NC	FC	NC	NC	NC	NC		?	NC
12 Silica Gel	SC	FC	FC	?	?	NC	FC	?	?	FC	?		FC
13 Sodium	NC	SC	NC	NC	NC	NC	NC	SC	SC	SC	NC	FC	

### LEGEND

FC Fully compatible

SC Somewhat compatible - mixtures soften, but, remains grease like

NC Not compatible - mixtures soften severely and do not remain grease like

All precautions were taken to ensure that the data in these tables are correct however, it is recommended that you consult the manufacturer before mixing two different products