

MATERIAL SAFETY DATA SHEET

STATEMENT OF HAZARDOUS NATURE

Not classified as hazardous according to the criteria of Worksafe Australia.

COMPANY DETAILS

COMPANY: Anglo Design A.C.N. 002 695 838
ADDRESS: 2 Beaumont Rd Mt Kuringai NSW 2080
TELEPHONE NUMBER: 02 9457 8566
EMERGENCY TELEPHONE NUMBER: 02 9457 8566 B.H.

IDENTIFICATION

PRODUCT NAME: **WHITE OIL 85 (15), WHITE OIL 350 (68)**
OTHER NAMES: None.
MANUFACTURER'S PRODUCT CODE:

UN NUMBER: Not applicable.
HAZCHEM CODE: Not applicable.
DANGEROUS GOODS
CLASS/SUBSIDIARY RISK: Not applicable.
POISONS SCHEDULE NUMBER: Not applicable.

USE Food additive/ Cosmetics.

PHYSICAL DESCRIPTION/PROPERTIES

APPEARANCE: Clear colourless oily liquid with neutral mild odour.
VAPOUR PRESSURE(Pa or mmHg at 20°C): Not available.
FREEZING POINT: NA
BOILING POINT: >316°C
SOLUBILITY in water (g/L) : Insoluble in water
VISCOSITY: @ 40°C (Min)
SPECIFIC GRAVITY: (BP85) 0.84 g/ml
(BP350) 0.883
FLASH POINT (°C): (BP85) 174°C
(BP350) 220°C

OTHER PROPERTIES None available.

INGREDIENTS

CHEMICAL ENTITY:	CAS No.	PROPORTION
White mineral oil	8042-47-5	100% weight

MATERIAL SAFETY DATA SHEET

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

<i>ACUTE</i>	SWALLOWED:	Not expected to be harmful if swallowed.
	EYE:	Not expected to cause prolonged or significant eye irritation.
	SKIN:	Contact with the skin is not expected to cause prolonged or significant irritation.
	INHALED:	Not expected to be harmful if inhaled. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.
FIRST AID	SWALLOWED:	No specific first aid measures are required. Do not induce vomiting.
	EYE:	No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.
	SKIN:	Remove contaminated clothing and laundry before re-use. Wash skin thoroughly with plenty of soap and water. No specific first aid measures are required
	INHALED:	No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advise
	FIRST AID FACILITIES:	Eye wash fountains and safety showers are recommended.
ADVICE TO DOCTOR:	Treat symptomatically.	

PRECAUTIONS FOR USE

EXPOSURE STANDARDS:	Time Weighted Average (TWA): 5 mg/m ³ (oil mist). Short Term Exposure Limit (STEL): 10 mg/m ³ (oil mist).
ENGINEERING CONTROLS:	Special ventilation is not normally required. However, in the operation of certain equipment or at elevated temperatures mists or vapour may be generated and exhaust ventilation should be provided to maintain airborne concentration levels below the exposure standard.

PERSONAL PROTECTION

RESPIRATOR TYPE (AS1716):	During routine operation a respirator is not required. If mists or vapours are generated, an approved organic vapour/particulate respirator is required.
GLOVE TYPE:	PVC or Nitrile gloves.
EYE PROTECTION:	Safety glasses or goggles are recommended to avoid eye contact.

MATERIAL SAFETY DATA SHEET

PRECAUTIONS FOR USE cont'd

CLOTHING: During normal operating procedures, long sleeved clothing is recommended to provide skin protection. Soiled clothing should be washed with detergent prior to re-use.

FLAMMABILITY

FIRE HAZARDS: Not flammable under conditions of use. Is a combustible liquid that will burn if preheated.

SOURCES OF IGNITION ADVICE: Not applicable.

HAZCHEM CODE: Not applicable.

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT: Store in a cool, well ventilated area away from ignition sources, oxidising agents, foodstuffs and clothing. Keep containers closed when not in use.

SPILLS AND DISPOSAL: Extinguish or remove all sources of ignition and stop leak if safe to do so. Contain the spill and absorb with sand or earth. Place used absorbent in suitable sealed containers and follow state or local regulations for the disposal of the waste. Clean area with soap and water. Do not allow product to enter drains, sewers or water courses - inform local authorities if this occurs.

FIRE/EXPLOSION HAZARD

HAZARDS OF USE/STORAGE: This product is combustible.

LIST OF DANGEROUS DECOMPOSITION OR COMBUSTION PRODUCTS: Combustion products include carbon monoxide and dioxide, smoke and fumes.

FIRE-FIGHTING RECOMMENDATIONS: Keep storage tanks, pipelines, fire exposed surfaces, etc. cool with water spray.

TYPES OF EXTINGUISHER/
FIRE-FIGHTING AGENTS: Use foam, carbon dioxide or dry chemical.

PRECAUTION: Water may cause splattering.

PROTECTIVE CLOTHING: Self-contained breathing apparatus is recommended during a fire.

REACTIVITY: Reacts with strong oxidising agents.

MATERIAL SAFETY DATA SHEET

OTHER INFORMATION

Long term animal experiments have shown that any health risks are associated with the level of aromatic and polycyclic constituents in the product. These constituents are removed during the manufacturing process to a level at which no health risks are expected as a result of normal handling.

CONTACT POINT

TITLE: Bill Croasdale
TELEPHONE NUMBER: 02 9457 8566 B.H

All information contained in this Material Safety Data Sheet and the health, safety and environmental information are considered to be accurate to the best of our knowledge as of the issue date specified above. However, no warranty or representation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Company accepts no responsibility for any injury, loss or damage, resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.